

RDA

Self-levelling Adjustable Joist Support Pedestal

Overview

The RDA Self-Levelling Adjustable Joist Support Pedestal is a plastic support pedestal for decking and railing applications. Its "ball and socket" floating head design allows for slope correction on tapered roofs, and the adjustable thread provides millimetre-perfect adjustability across a large height range, making speedy and straightforward installation.

- Millimetre-perfect height adjustment
- Large height range available
- Cut-off base allows for placement against the wall abutment
- Height extension collar raises the total height in 100mm increments
- Holes in base allow drainage and fixing to substrates



Details

Material	Polypropylene (recyclable)	
Dimensions	Base size: 200mm (diameter) Head size: 130mm (diameter)	
Maximum slope correction	5% (1:20 gradient)	
Joist width capacity	50mm	

Performance

Compressive strength	1500kg+ per pedestal
Allowable load	See "Compatible system" below
Biological and chemical	Resistant to moulds, algae, alkali, bitumen, UV
Warranty	10 years*

^{*}when used as part of a complete RYNO system

Got questions? Give us a shout.


Visit www.rynosystems.com or call us today on +44 (0)203 967 3500 or reach out on sales@rynosystems.com



Part information

Code	Height range	Box quantity	No. of extension collars
RDA-1	20-25mm	25	0
RDA-2	25-35mm	25	0
RDA-3	35-50mm	25	0
RDA-4	50-80mm	25	0
RDA-5	80-130mm	25	0
RDA-6	130-230mm	25	0
RDA-7	230-330mm	25	1
RDA-8	330-430mm	25	2
RDA-9	430-530mm	25	3
RDA-10	530-630mm	25	4
RDA-11	630-730mm	25	5
RDA-12	730-830mm	25	6
RDA-13	830-930mm	25	7
RDA-14	930-1030mm	25	8

Compatible components



Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on +44 (0)203 967 3500 or reach out on sales@rynosystems.com



Compatible systems

TerraSmart®

Composite Decking System

Wood-plastic composite decking system for outdoor spaces



Premium, versatile paving system for waterproofed substrates

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on +44 (0)203 967 3500 or reach out on sales@rynosystems.com