

RPA

Self-levelling Adjustable Paving Support Pedestal

Overview

The RPA Self-Levelling Adjustable Paving Support Pedestal is a plastic support pedestal boasting a "ball and socket" floating head design, allowing for slope correction for paving on tapered roofs. The adjustable thread provides millimetre-perfect adjustability across a large height range, making installation straightforward and rapid.

- Suitable for all calibrated paving types, including porcelain, concrete, and natural stone
- Snap-off spacer tabs for consistent spacing and easy removal
- Large height range available
- A cut-off base allows for placement against the wall abutment
- Height extension collar raises the total height in 100mm increments
- Holes in the base allow for drainage and fixing to substrates



Details

Material	Polypropylene (recyclable)
Dimensions	Base size: 200mm (diameter) Head size: 130mm (diameter)
Maximum slope correction	5% (1:20 gradient)
Spacer tab thickness	4mm (standard)
Spacer tab thickness options	2mm/6mm/8mm/10mm

Performance

Reaction to fire (BS EN 13501-5)	B _{ROOF} (t4)*
Compressive strength	1500kg+ per pedestal
Allowable load	See "Compatible system" data
Biological and chemical	Resistant to moulds, algae, alkali, bitumen, UV
Warranty	10 years*

*when used as part of a complete RYNO system




Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Part information

Code	Height range	Box quantity	No. of extension collars
RPA-1	20-25mm	25	0
RPA-2	25-35mm	25	0
RPA-3	35-50mm	25	0
RPA-4	50-80mm	25	0
RPA-5	80-130mm	25	0
RPA-6	130-230mm	25	0
RPA-7	230-330mm	25	1
RPA-8	330-430mm	25	2
RPA-9	430-530mm	25	3
RPA-10	530-630mm	25	4
RPA-11	630-730mm	25	5
RPA-12	730-830mm	25	6
RPA-13	830-930mm	25	7
RPA-14	930-1030mm	25	8

Compatible components

	HRSP-C Head Rubber Shock Pad - Conventional		BRSP Base Rubber Shock Pad
	ESC Edge Spring Clip		PT-QU Quadro Porcelain Paver
	CP-AD Adira Concrete Paver		RFC-WU Retrofit Wind Uplift Clip

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Compatible systems

TerraSmart®

Pedestal Paving System

Straightforward, robust paving system
for waterproofed substrates, **where
non-combustibility isn't required**

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com