

RPF

Fixed Head Adjustable Paving Support Pedestal

Overview

The RPF Fixed Head Adjustable Paving Support Pedestal is a plastic support pedestal designed to support all types of calibrated paving. The adjustable thread provides millimetre-perfect adjustability across a large height range, making installation straightforward and rapid.

- Snap-off spacer tabs for consistent spacing and easy removal
- Large height range available
- A cut-off base allows for placement against the wall abutment
- Height extension collar raises the total height in 100mm increments
- Holes in the base allow for drainage and fixing to substrates
- Suitable for all calibrated paving types, including porcelain, concrete, and natural stone



Details

Material	Polypropylene (recyclable)
Dimensions	Base size: 200mm Head size: 120mm (diameter)
Spacer tab thickness	4mm (standard)
Spacer tab thickness options	2mm/6mm/8mm/10mm
Height range	See “Part information” below
Weight	See “Part information” below

Performance

Reaction to fire (BS EN 13501-5)	B _{ROOF} (t4)*
Compressive strength	1000kg + per pedestal
Allowable load	See “Compatible system” data
Biological and chemical	Resistant to moulds, algae, alkali, bitumen, UV
Warranty	10 years*

*when used as part of a complete RYNO system


Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Part information

Part code	Height range	Pack quantity	Base part	No. of extension collars
RPF-1	22-35mm	25	22-35mm	0
RPF-2	35-55m	25	35-55m	0
RPF-3	55-95mm	25	55-95mm	0
RPF-4	95-165mm	25	95-165mm	0
RPF-5	165-235mm	25	165-235mm	0
RPF-6	200-270mm	25	95-165mm	1
RPF-7	260-340mm	25	165-235mm	1
RPF-8	305-375mm	25	95-165mm	2
RPF-9	365-445mm	25	165-235mm	2
RPF-10	410-480mm	25	95-165mm	3
RPF-11	470-550mm	25	165-235mm	3

Compatible components

	HRSP-C Head Rubber Shock Pad - Conventional		BRSP Base Rubber Shock Pad
	ESC Edge Spring Clip		PT-QU Quadro Porcelain Paver
	CP-AD Adira Concrete Paver		

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Compatible system

TerraSmart®

Pedestal Paving System

Straightforward, robust paving system
for waterproofed substrates, **where
non-combustibility isn't required**

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on
sales@rynosystems.com