

BRSP

Base Rubber Shock Pad

Overview

The BRSP Base Rubber Shock Pad is a protective membrane designed to be placed beneath pedestals and supports, safeguarding the waterproof substrate below. This rubber pad serves as both an acoustic dampener and a practical shield for waterproofed flat roofs and balconies.

- 3mm of protection
- Available in both 200x200mm and 150x150mm
- Enhance acoustic properties



Details

Material	High grade SBR (styrene butadiene) rubber granulate bonded with polyurethane
Dimensions	See “Part information” below

Performance

Acoustic properties (BS EN ISO 10140-3:2020)	Weighted reduction of impact sound: 17 (-10) dB
---	---

Part information

Part number	Dimensions	Compatible pedestal(s)
50.1001	230x230x3mm	RPF RPA RDF RDA RDA-C RPS RPS-FR RPF-LF
50.1021	150x150x3mm	RP-FR RP-FR-WU RPA-FR RD-FR

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Compatible components

	RPS-FR Non-Combustible Stackable Paving Support Pad		RD-FR Non-Combustible Adjustable Joist Support Pedestal
	RP-FR Non-Combustible Adjustable Paving Support Pedestal		RPA-FR Non-Combustible Self-levelling Paving Support Pedestal
	RP-FR-WU Non-Combustible Wind Uplift Paving Support Pedestal		RPS Stackable Paving Support Pad
	RPA Self-Levelling Adjustable Paving Support Pedestal		RPF Fixed Head Adjustable Paving Support Pedestal
	RDA Self-Levelling Adjustable Joist Support Pedestal		RDA-C Self-Levelling Adjustable Joist Support Pedestal with Clip-on Head
	RPF-LH Low-Height Adjustable Paving Support Pad		RDF Fixed Head Adjustable Joist Support Pedestal

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Compatible systems

TerraSmart®

Pedestal Paving System

Straightforward, robust paving system for waterproofed substrates, **where non-combustibility isn't required**

TerraSmart®

Rail Paving System

Premium, versatile paving system for waterproofed substrates, **where non-combustibility isn't required**

TerraSmart®



Aluminium Decking System

Decking system for waterproofed substrates

TerraSmart®



Vitrified Composite® Decking System

A1 fire-rated, wood effect decking systems for waterproofed substrates

TerraSmart®

Composite Decking System

Wood-plastic composite decking system for outdoor spaces

TerraSmart®

Resin Bound Gravel System

Raised, lightweight flooring system with a seamless resin bound aggregate finish.

TerraSmart®



Rail Paving System

Premium, versatile paving system for waterproofed substrates

TerraSmart®



Pedestal Paving System

Straightforward, robust paving system for waterproofed substrates

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com